



OPEN **Author Correction:** The endocast of the Night Parrot (*Pezoporus occidentalis*) reveals insights into its sensory ecology and the evolution of nocturnality in birds

Andrew N. Iwaniuk, Aubrey R. Keirnan, Heather Janetzki, Karine Mardon, Stephen Murphy, Nicholas P. Leseberg & Vera Weisbecker

Correction to: *Scientific Reports* <https://doi.org/10.1038/s41598-020-65156-0>, published online 09 June 2020

This Article contains errors in Table 1 where columns 'Orbit A' and 'Orbit D' should be named 'Orbit Area' and 'Orbit Diameter' respectively.

Furthermore, there are errors in column Orbit A where all data points given are incorrect.

Finally, a column entitled 'Orbit Depth' is omitted. The correct Table 1 is below.

Published online: 28 July 2020

Species		n	Specimen number	ECV	Brain SA	OLSA	OF	Orbit Area	Orbit Diameter	Orbit Depth
<i>Cyanoramphus auriceps</i>	Yellow-crowned Parakeet	1	QMO.28238	2537.98	1726.97	174.54	3.45	88.78	10.63	6.80
<i>Glossopsitta concinna</i>	Musk Lorikeet	1	QMO.28231	3057.04	1443.83	135.66	3.36	100.95	11.34	8.67
<i>Glossopsitta porphyrocephala</i>	Purple-crowned Lorikeet	1	QMO.28574	1724.80	954.34	87.06	2.62	69.98	9.44	6.22
<i>Glossopsitta pusilla</i>	Little Lorikeet	1	QMO.12719	1537.40	880.31	97.94	2.19	63.12	8.97	6.29
<i>Melopsittacus undulatus</i>	Budgerigar	1	QMO.31840	1708.90	1053.00	96.75	2.45	67.30	9.26	6.63
<i>Neopsephotus bourkii</i>	Bourke's Parrot	2	QMO.28232, QMO.28399	1278.11	806.35	95.49	2.02	76.08	9.84	5.95
<i>Neophema elegans</i>	Elegant Parrot	3	QMO.28276, QMO.28277, QMO.28291	1335.60	838.36	99.32	2.52	80.76	10.14	6.20
<i>Neophema pulchella</i>	Turquoise Parrot	3	QMO.28290, QMO.28589, QMO.28296	1269.61	822.30	109.03	2.79	78.82	10.02	5.81
<i>Neophema splendida</i>	Scarlet-chested Parrot	1	QMO.28293	1285.16	783.46	92.61	2.12	73.56	9.68	6.43
<i>Pezoporus occidentalis</i>	Night Parrot	1	QMO.29055	2478.07	1212.91	104.25	2.49	108.05	11.73	7.45
<i>Pezoporus wallicus</i>	Eastern Ground Parrot	1	QMO.28716	2382.71	1259.38	149.70	4.77	133.99	13.06	7.57
<i>Platycercus adscitus</i>	Pale-headed Rosella	1	QMO.31746	2680.79	1358.34	137.29	3.84	105.18	11.58	8.33
<i>Platycercus eximius</i>	Eastern Rosella	1	QMO.12720	2696.65	1397.49	147.20	3.62	104.66	11.55	7.46
<i>Platycercus icterotis</i>	Western Rosella	1	QMO.28307	2389.30	1216.22	131.02	3.52	99.10	11.24	7.46
<i>Psephotus haematonotus</i>	Red-rumped Parrot	1	QMO.28294	1897.10	1056.35	122.53	3.15	81.68	10.20	7.07
<i>Psephotus varius</i>	Mulga Parrot	1	QMO.16667	1534.53	911.62	100.46	3.42	81.17	10.17	6.54
<i>Psittuteles versicolor</i>	Varied Lorikeet	1	QMO.12024	1592.65	921.98	91.41	2.18	74.02	9.71	7.31
<i>Trichoglossus chlorolepidotus</i>	Scaly-breasted Lorikeet	1	QMO.32344	3059.63	1457.50	142.60	4.06	107.17	11.68	8.90

Table 1. The data collected for all 18 species examined in this study, including sample sizes (n) and specimen numbers. The data columns are as follows. The data columns are as follows: ECV – endocranial volume (mm³), Brain SA – brain surface area (mm²), OLSA – optic lobe surface area (mm²), OF – optic foramen area (mm²), Orbit Area (mm²), Orbit Diameter (mm), and Orbit Depth (mm).



Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2020